

PRELIMINARY REFERENCE LIST OF PUBLICATIONS

IMPERILED BUTTERFLY CONSERVATION, MANAGEMENT AND RECOVERY

Jaret C. Daniels, Ph.D.

- Adamski, P., and Z. J. Witkowski. 2007. Effectiveness of population recovery projects based on captive breeding. *Biological Conservation* **140**:1-7.
- Albanese, G., M. W. Nelson, P. D. Vickery, and P. R. Sievert. 2007a. Larval feeding behavior and ant association in frosted elfin, *Callophrys irus* (Lycaenidae). *Journal of the Lepidopterists' Society* **61**:61-66.
- Albanese, G., P. D. Vickery, and P. R. Sievert. 2007b. Habitat characteristics of adult frosted elfins (*Callophrys irus*) in sandplain communities of southeastern Massachusetts, USA. *Biological Conservation* **136**:53-64.
- Albanese, G., P. D. Vickery, and P. R. Sievert. 2008. Microhabitat use by larvae and females of a rare barrens butterfly, frosted elfin (*Callophrys irus*). *Journal of Insect Conservation* **12**:603-615.
- Anthes, N., T. Fartmann, and G. Hermann. 2008. The Duke of Burgundy butterfly and its dukedom: larval niche variation in *Hamearis lucina* across Central Europe. *Journal of Insect Conservation* **12**:3-14.
- Anthes, N., T. Fartmann, G. Hermann, and G. Kaule. 2003. Combining larval habitat quality and metapopulation structure: The key for successful management of pre-alpine *Euphydryas aurinia* colonies. *Journal of Insect Conservation* **7**:175-185.
- Araujo, M. B., and C. Rahbek. 2007. Conserving biodiversity in a world of conflicts. *Journal of Biogeography* **34**:199-200.
- Arnold, R. A. 1987. DECLINE OF THE ENDANGERED PALOS VERDES BLUE BUTTERFLY IN CALIFORNIA USA. *Biological Conservation* **40**:203-218.
- Bachelard, P., and H. Descimon. 1999. *Lycaena helle* (Denis and Schiffermuller, 1775) from the Central Massif (France): An ecogeographical analysis (Lepidoptera : Lycaenidae). *Linneana Belgica* **17**:23-41.
- Baguette, M., G. Mennechez, S. Petit, and N. Schtickzelle. 2003. Effect of habitat fragmentation on dispersal in the butterfly *Proclossiana eunomia*. *Comptes Rendus Biologies* **326**:S200-S209.

- Baguette, M., and N. Schtickzelle. 2003. Local population dynamics are important to the conservation of metapopulations in highly fragmented landscapes. *Journal of Applied Ecology* **40**:404-412.
- Baguette, M., and N. Schtickzelle. 2006. Negative relationship between dispersal distance and demography in butterfly metapopulations. *Ecology (Washington D C)* **87**:648-654.
- Balmer, O., and A. Erhardt. 2000. Consequences of succession on extensively grazed grasslands for Central European butterfly communities: Rethinking conservation practices. *Conservation Biology* **14**:746-757.
- Barascud, B., J. F. Martin, M. Baguette, and H. Descimon. 1999. Genetic consequences of an introduction-colonization process in an endangered butterfly species. *Journal of Evolutionary Biology* **12**:697-709.
- Barbaro, L., and I. van Halder. 2009. Linking bird, carabid beetle and butterfly life-history traits to habitat fragmentation in mosaic landscapes. *Ecography* **32**:321-333.
- Barton, B. J., and C. E. Bach. 2005. Habitat use by the federally endangered Mitchell's satyr butterfly (*Neonympha mitchellii mitchellii*) in a Michigan prairie fen. *American Midland Naturalist* **153**:41-51.
- Batary, P., N. Orvoessy, A. Koroesi, M. Valyi Nagy, and L. Peregovits. 2007. Microhabitat preferences of *Maculinea teleius* (Lepidoptera : Lycaenidae) in a mosaic landscape. *European Journal of Entomology* **104**:731-736.
- Bauerfeind, S. S., A. Theisen, and K. Fischer. 2009. Patch occupancy in the endangered butterfly *Lycaena helle* in a fragmented landscape: effects of habitat quality, patch size and isolation. *Journal of Insect Conservation* **13**:271-277.
- Benes, J., O. Cizek, J. Dovala, and M. Konvicka. 2006. Intensive game keeping, coppicing and butterflies: The story of Milovicky Wood, Czech Republic. *Forest Ecology and Management* **237**:353-365.
- Benjamins, M. E., and D. J. Leopold. 2002. Effects of habitat heterogeneity on oviposition preferences of the endangered Karner blue butterfly. *Ecological Society of America Annual Meeting Abstracts* **87**:74-75.
- Benjamins, M. E., and D. J. Leopold. 2003. Habitat management recommendations for the endangered Karner blue butterfly based on its oviposition preferences. *Ecological Society of America Annual Meeting Abstracts* **88**:28.
- Bergman, K.-O. 2001. Population dynamics and the importance of habitat management for conservation of the butterfly *Lopinga achine*. *Journal of Applied Ecology* **38**:1303-1313.

- Bergman, K.-O., J. Askling, O. Ekberg, H. Ignell, H. Wahlman, and P. Milberg. 2004. Landscape effects on butterfly assemblages in an agricultural region. *Ecography* **27**:619-628.
- Bierzzychudek, P., K. Coffman, S. D. Stortz, and D. Pickering. 2007. Restoring habitat for a threatened butterfly: The role of larval behavior. *Ecological Society of America Annual Meeting Abstracts*.
- Bink, F. A. 2000. Re-introduction of insects, a practical approach. *Entomologische Berichten (Amsterdam)* **60**:96-106.
- Binzenhoefer, B., R. Biedermann, J. Settele, and B. Schroeder. 2008. Connectivity compensates for low habitat quality and small patch size in the butterfly *Cupido minimus*. *Ecological Research* **23**:259-269.
- Binzenhoefer, B., B. Schroeder, B. Strauss, R. Biedermann, and J. Settele. 2005. Habitat models and habitat connectivity analysis for butterflies and burnet moths - The example of *Zygaena carniolica* and *Coenonympha arcania*. *Biological Conservation* **126**:247-259.
- Bladt, J., F. W. Larsen, and C. Rahbek. 2008. Does taxonomic diversity in indicator groups influence their effectiveness in identifying priority areas for species conservation? *Animal Conservation* **11**:546-554.
- Bobo, K. S., M. Waltert, H. Fermon, J. Njokagbor, and M. Muhlenberg. 2006. From forest to farmland: butterfly diversity and habitat associations along a gradient of forest conversion in Southwestern Cameroon. *Journal of Insect Conservation* **10**:29-42.
- Braby, M. F., and F. Douglas. 2004. The taxonomy, ecology and conservation status of the Golden-rayed Blue: A threatened butterfly endemic to western Victoria, Australia. *Biological Journal of the Linnean Society* **81**:275-299.
- Braeu, V. M., C. Stettmer, A. Nunner, H. Stellwag, P. Gros, and J. Settele. 2008a. Effects of mowing date and frequency on the alcon blue - Results of habitat analyses and mowing experiments in the Alpine foothills. *Naturschutz und Landschaftsplanung* **40**:113-120.
- Braeu, V. M., C. Stettmer, A. Nunner, H. Stellwag, P. Gros, and J. Settele. 2008b. Effects of mowing date and frequency on the alcon blue - Results of habitat analyses and mowing experiments in the Alpine foothills. *Naturschutz und Landschaftsplanung* **40**:113-120.
- Bramble, W. C., R. H. Yahner, and W. R. Byrnes. 1999. Effect of herbicide maintenance of an electric transmission line right-of-way on butterfly populations. *Journal of Arboriculture* **25**:302-310.
- Breitfuss, M. J., and P. E. R. Dale. 2004. The endangered Illidge's ant blue butterfly (*Acrodipsas illidgei*) from an intertidal habitat managed for mosquito control. *Journal of the American Mosquito Control Association* **20**:91-93.

- Brereton, T. M., M. S. Warren, D. B. Roy, and K. Stewart. 2008. The changing status of the Chalkhill Blue butterfly *Polyommatus coridon* in the UK: the impacts of conservation policies and environmental factors. *Journal of Insect Conservation* **12**:629-638.
- Britten, H. B., P. F. Brussard, and D. D. Murphy. 1994. The pending extinction of the uncomphgre fritillary butterfly. *Conservation Biology* **8**:86-94.
- Britten, H. B., and L. Riley. 1994. Nectar source diversity as an indicator of habitat suitability for the endangered uncomphgre fritillary, *Boloria acrocne* (Nymphalidae). *Journal of the Lepidopterists' Society* **48**:173-179.
- Britton, D. R., T. R. New, and A. Jelinek. 1995. Rare Lepidoptera at Mount Piper, Victoria: The role of a threatened butterfly community in advancing understanding of insect conservation. *Journal of the Lepidopterists' Society* **49**:97-113.
- Brommer, J. E., and M. S. Fred. 1999. Movement of the Apollo butterfly *Parnassius apollo* related to host plant and nectar plant patches. *Ecological Entomology* **24**:125-131.
- Brookes, M. I., Y. A. Graneau, P. King, O. C. Rose, C. D. Thomas, and J. L. B. Mallet. 1997. Genetic analysis of flounder bottlenecks in the rare British butterfly *Plebejus argus*. *Conservation Biology* **11**:648-661.
- Broyer, J., C. Fregat, J. Blanc, and L. Cartel. 2008. *Thersamolycaena dispar* (Lepidoptera, Lycaenidae), the large Copper, in the Dombes (Ain). Habitat use and conservation. *Bulletin Mensuel de la Societe Linneenne de Lyon* **77**:159-164.
- Brunzel, S., and M. Bussmann. 1994. The Cranberry Fritillary, *Boloria aquilonaris* (STICHEL, 1908) (Lep., Nymphalidae) in moors of the Ebbegebirge mountains (Maerkischer Kreis, NRW). *Entomologische Nachrichten und Berichte* **38**:73-79.
- Brunzel, S., and H. Elligsen. 1999. Change of species set and abundance along a short time gradient: The impact of weather conditions on the conservation of butterflies. *Beitraege zur Entomologie* **49**:447-461.
- Bulman, C. R., R. J. Wilson, A. R. Holt, L. Galvez Bravo, R. I. Early, M. S. Warren, and C. D. Thomas. 2007. Minimum viable metapopulation size, extinction debt, and the conservation of a declining species. *Ecological Applications* **17**:1460-1473.
- Campbell, J. W., J. L. Hanula, and T. A. Waldrop. 2007. Observations of *Speyeria diana* (Diana fritillary) utilizing forested areas in North Carolina that have been mechanically thinned and burned. *Southeastern Naturalist* **6**:179-182.
- Carroll, S. S., and D. L. Pearson. 1998. Spatial modeling of butterfly species richness using tiger beetles (Cicindelidae) as a bioindicator taxon. *Ecological Applications* **8**:531-543.

- Cassel, A., J. Windig, S. Nylin, and C. Wiklund. 2001. Effects of population size and food stress on fitness-related characters in the scarce heath, a rare butterfly in Western Europe. *Conservation Biology* **15**:1667-1673.
- Cassel-Lundhagen, A. 2004. Overgrowth and isolation threatens the scarce heath (*Coenonympha hero*) butterfly in the agricultural landscape. *Entomologisk Tidskrift* **125**:173-179.
- Cassel-Lundhagen, A., and P. Sjogren-Gulve. 2007. Limited dispersal by the rare scarce heath butterfly - potential consequences for population persistence. *Journal of Insect Conservation* **11**:113-121.
- Christenson, J. S., and D. R. Lentz. 2001. Steps for success in rare species conservation: The Wisconsin Statewide Karner Blue Butterfly HCP. *Transactions of the North American Wildlife and Natural Resources Conference*:443-455.
- Cizek, O., and M. Konvicka. 2005. What is a patch in a dynamic metapopulation? Mobility of an endangered woodland butterfly, *Euphydryas maturna*. *Ecography* **28**:791-800.
- Clark, P. J., J. M. Reed, and F. S. Chew. 2007. Effects of urbanization on butterfly species richness, guild structure, and rarity. *Urban Ecosystems* **10**:321-337.
- Clarke, R. T., J. A. Thomas, G. W. Elmes, and M. E. Hochberg. 1997. The effects of spatial patterns in habitat quality on community dynamics within a site. *Proceedings of the Royal Society of London Series B Biological Sciences* **264**:347-354.
- Cleary, D. F. R., and A. O. Mooers. 2004. Butterfly species richness and community composition in forests affected by ENSO-induced burning and habitat isolation in Borneo. *Journal of Tropical Ecology* **20**:359-367.
- Collier, N., D. A. Mackay, and K. Benkendorff. 2008. Is relative abundance a good indicator of population size? Evidence from fragmented populations of a specialist butterfly (Lepidoptera : Lycaenidae). *Population Ecology* **50**:17-23.
- Cozzi, G., C. B. Mueller, and J. Krauss. 2008. How do local habitat management and landscape structure at different spatial scales affect fritillary butterfly distribution on fragmented wetlands? *Landscape Ecology* **23**:269-283.
- Crone, E. E., D. Pickering, and C. B. Schultz. 2007. Can captive rearing promote recovery of endangered butterflies? An assessment in the face of uncertainty. *Biological Conservation* **139**:103-112.
- Cunningham, J. P., and S. A. West. 2008. How host plant variability influences the advantages to learning: A theoretical model for oviposition behaviour in Lepidoptera. *Journal of Theoretical Biology* **251**:404-410.

- Daniels, J. C. 2009. Cooperative conservation efforts to help recover an endangered south Florida butterfly. *Insect Conservation and Diversity* **2**:62-64.
- Danielsen, F., and C. G. Treadaway. 2004. Priority conservation areas for butterflies (Lepidoptera: Rhopalocera) in the Philippine islands. *Animal Conservation* **7**:79-92.
- Dapporto, L., and R. L. H. Dennis. 2008. Island size is not the only consideration. Ranking priorities for the conservation of butterflies on Italian offshore islands. *Journal of Insect Conservation* **12**:237-249.
- Dapporto, L., and R. L. H. Dennis. 2009. Conservation biogeography of large Mediterranean islands. Butterfly impoverishment, conservation priorities and inferences for an ecological "island paradigm". *Ecography* **32**:169-179.
- Davies, H., T. M. Brereton, D. B. Roy, and R. Fox. 2007. Government targets for protected area management: will threatened butterflies benefit? *Biodiversity and Conservation* **16**:3719-3736.
- Davies, Z. G., R. J. Wilson, T. M. Brereton, and C. D. Thomas. 2005. The re-expansion and improving status of the silver-spotted skipper butterfly (*Hesperia comma*) in Britain: a metapopulation success story. *Biological Conservation* **124**:189-198.
- Davies, Z. G., R. J. Wilson, S. Coles, and C. D. Thomas. 2006. Changing habitat associations of a thermally constrained species, the silver-spotted skipper butterfly, in response to climate warming. *Journal of Animal Ecology* **75**:247-256.
- Davis, J. D., D. M. Debinski, and B. J. Danielson. 2007. Local and landscape effects on the butterfly community in fragmented Midwest USA prairie habitats. *Landscape Ecology* **22**:1341-1354.
- Davros, N. M., D. M. Debinski, K. F. Reeder, and W. L. Hohman. 2006. Butterflies and continuous conservation reserve program filter strips: Landscape considerations. *Wildlife Society Bulletin* **34**:936-943.
- De Groot, M., F. Rebeusek, V. Grobelnik, M. Govedic, A. Salamun, and R. Verovnik. 2009. Distribution modelling as an approach to the conservation of a threatened alpine endemic butterfly (Lepidoptera: Satyridae). *European Journal of Entomology* **106**:77-84.
- Debinski, D. M., and A. M. Babbitt. 1997. Butterfly species in native prairie and restored prairie. *Prairie Naturalist* **29**:219-228.
- Dempster, J. P., and M. L. Hall. 1980. AN ATTEMPT AT RE ESTABLISHING THE SWALLOWTAIL BUTTERFLY PAPILIO-MACHAON AT WICKEN FEN ENGLAND UK. *Ecological Entomology* **5**:327-334.

- Dennis, R. L. H. 1997. An inflated conservation load for European butterflies: Increases in rarity and endemism accompany increases in species richness. *Journal of Insect Conservation* **1**:43-62.
- Dennis, R. L. H. 2004. Just how important are structural elements as habitat components? Indications from a declining lycaenid butterfly with priority conservation status. *Journal of Insect Conservation* **8**:37-45.
- Dennis, R. L. H. 2008a. How abundant are key resources for common butterflies: insights from nymphalid butterflies in a conservation area. *Entomologist's Gazette* **59**:79-84.
- Dennis, R. L. H. 2008b. How abundant are key resources for common butterflies: insights from nymphalid butterflies in a conservation area. *Entomologist's Gazette* **59**:79-84.
- Dennis, R. L. H., L. Dapporto, T. G. Shreeve, E. John, J. G. Coutsis, O. Kudrna, K. Saarinen, N. Ryrholm, and W. R. Williams. 2008a. Butterflies of European islands: the implications of the geography and ecology of rarity and endemism for conservation. *Journal of Insect Conservation* **12**:205-236.
- Dennis, R. L. H., and H. T. Eales. 1999. Probability of site occupancy in the large health butterfly *Coenonympha tullia* determined from geographical and ecological data. *Biological Conservation* **87**:295-301.
- Dennis, R. L. H., P. B. Hardy, and T. G. Shreeve. 2008b. The importance of resource databanks for conserving insects: a butterfly biology perspective. *Journal of Insect Conservation* **12**:711-719.
- Dennis, R. L. H., T. G. Shreeve, and T. H. Sparks. 1998. The effects of island area, isolation and source population size on the presence of the grayling butterfly *Hipparchia semele* (L.) (Lepidoptera: Satyrinae) on British and Irish offshore islands. *Biodiversity and Conservation* **7**:765-776.
- Dessuy, M. B., and A. B. B. de Morais. 2007. Diversity of butterflies (Lepidoptera, Papilionoidea e Hesperioidea) in fragments of deciduous seasonal forest in Santa Maria, Rio Grande do Sul State, Brazil. *Revista Brasileira de Zoologia* **24**:108-120.
- Deutschlander, M. S., and G. J. Bredenkamp. 1999. Importance of vegetation analysis in the conservation management of the endangered butterfly *Aloeides dentatus dentatus* (Swierstra) (Lepidoptera, Lycaenidae). *Koedoe* **42**:1-12.
- Dolek, M., A. Freese-Hager, O. Cizek, and P. Gros. 2006. Mortality of early instars in the highly endangered butterfly *Euphydryas maturna* (Linnaeus, 1758) (Nymphalidae). *Nota Lepidopterologica* **29**:221-224.
- Dolek, M., and A. Geyer. 1997. Influence of management on butterflies of rare grassland ecosystems in Germany. *Journal of Insect Conservation* **1**:125-130.

- Dover, J. W. 1994. Arable field margins: Factors affecting butterfly distribution and abundance. Pages 59-66 in N. Boatman, editor. British Crop Protection Council Monograph; Field margins: Integrating agriculture and conservation.
- Downes, J. A. 1948. The history of the speckled wood butterfly (*Pararge aegeria* in Scotland, with a discussion of the recent changes of range of other British butterflies. *Jour Animal Ecol* **17**:131-138.
- Drechsler, M., F. Waetzold, K. Johst, H. Bergmann, and J. Settele. 2007. A model-based approach for designing cost-effective compensation payments for conservation of endangered species in real landscapes. *Biological Conservation* **140**:174-186.
- Dunwiddie, P. W., and N. Sferra. 1991. LOSS OF RARE BUTTERFLY AND PLANT SPECIES IN COASTAL GRASSLANDS. *Natural Areas Journal* **11**:119-120.
- Eastwood, R., M. F. Braby, D. J. Schmidt, and J. M. Hughes. 2008. Taxonomy, ecology, genetics and conservation status of the pale imperial hairstreak (*Jalmenus eubulus*) (Lepidoptera:Lycaenidae): a threatened butterfly from the Brigalow Belt, Australia. *Invertebrate Systematics* **22**:407-423.
- Edge, D. A. 2002. Some ecological factors influencing the breeding success of the Brenton Blue butterfly, *Orachrysops niobe* (Trimen) (Lepidoptera: Lycaenidae). *Koedoe* **45**:19-34.
- Edge, D. A., S. S. Cilliers, and R. F. Terblanche. 2008. Vegetation associated with the occurrence of the Brenton blue butterfly. *South African Journal of Science* **104**:505-510.
- Edinger, B. B., and C. B. Fribley. 1994. Relative importance of ant mutualists for tended larvae of the federally endangered Karner blue butterfly, *Lycaeides melissa samuelis* Nabokov, in northwest Indiana. *Bulletin of the Ecological Society of America* **75**:60.
- Ellis, S. 1999. The distribution, abundance conservation management of butterflies on Magnesian Limestone grassland sites in north-east England. *Transactions of the Natural History Society of Northumbria* **59**:149-168.
- Ellis, S. 2003. Habitat quality and management for the northern brown argus butterfly *Aricia artaxerxes* (Lepidoptera: Lycaenidae) in North East England. *Biological Conservation* **113**:285-294.
- Elmes, G. W., R. T. Clarke, J. A. Thomas, and M. E. Hochberg. 1996. Empirical test of specific predictions made from a spatial model of the population dynamics of *Maculinea rebeli*, a parasitic butterfly of red ant colonies. *Acta Oecologica* **17**:61-80.
- Fagan, W. F., and P. M. Kareiva. 1997. Using compiled species lists to make biodiversity comparisons among regions: A test case using Oregon butterflies. *Biological Conservation* **80**:249-259.

- Fay, J., E. Fleishman, D. Dobkin, and J. C. Chambers. 2007. Linking spatial data and predictive models to forecast alternative options and futures in managed landscapes. *Ecological Society of America Annual Meeting Abstracts*.
- Feber, R. E., H. Smith, and D. W. MacDonald. 1996. The effects on butterfly abundance of the management of uncropped edges of arable fields. *Journal of Applied Ecology* **33**:1191-1205.
- Fiedler, K. 1998. Lycaenid-ant interactions of the Maculinea type: Tracing their historical roots in a comparative framework. *Journal of Insect Conservation* **2**:3-14.
- Fischer, K. 1998. Population structure, mobility and habitat selection of the butterfly *Lycaena hippothoe* (Lycaenidae: Lycaenini) in western Germany. *Nota Lepidopterologica* **21**:14-30.
- Fischer, K., B. Beinlich, and H. Plachter. 1999. Population structure, mobility and habitat preferences of the violet copper *Lycaena helle* (Lepidoptera: Lycaenidae) in Western Germany: Implications for conservation. *Journal of Insect Conservation* **3**:43-52.
- Fleishman, E. 2000. Monitoring the response of butterfly communities to prescribed fire. *Environmental Management* **26**:685-695.
- Floater, G. J., and M. P. Zalucki. 2000. Habitat structure and egg distributions in the processionary caterpillar *Ochrogaster lunifer*: Lessons for conservation and pest management. *Journal of Applied Ecology* **37**:87-99.
- Foley, P. 1994. Predicting extinction times from environmental stochasticity and carrying capacity. *Conservation Biology* **8**:124-137.
- Forrester, J. A., D. J. Leopold, and S. D. Hafner. 2005. Maintaining critical habitat in a heavily managed landscape: Effects of power line corridor management on Karner blue butterfly (*Lycaeides melissa samuelis*) habitat. *Restoration Ecology* **13**:488-498.
- Franco, A. M. A., B. J. Anderson, D. B. Roy, S. Gillings, R. Fox, A. Moilanen, and C. D. Thomas. 2009. Surrogacy and persistence in reserve selection: landscape prioritization for multiple taxa in Britain. *Journal of Applied Ecology* **46**:82-91.
- Fred, M. S., and J. E. Brommer. 2003. Influence of habitat quality and patch size on occupancy and persistence in two populations of the Apollo butterfly (*Parnassius apollo*). *Journal of Insect Conservation* **7**:85-98.
- Fred, M. S., R. B. O'Hara, and J. E. Brommer. 2006. Consequences of the spatial configuration of resources for the distribution and dynamics of the endangered *Parnassius apollo* butterfly. *Biological Conservation* **130**:183-192.

- Freese, A., J. Benes, R. Bolz, O. Cizek, M. Dolek, A. Geyer, P. Gros, M. Konvicka, A. Liegl, and C. Stettmer. 2006. Habitat use of the endangered butterfly *Euphydryas maturna* and forestry in Central Europe. *Animal Conservation* **9**:388-397.
- Fry, G. L. A., and W. J. Robson. 1994. The effects of field margins on butterfly movement. Pages 111-116 in N. Boatman, editor. *British Crop Protection Council Monograph; Field margins: Integrating agriculture and conservation*.
- Fuller, S. G., D. J. Leopold, P. J. Smallidge, and N. A. Gifford. 2001. Fire, management, and disturbance effects on Karner blue habitat. *Ecological Society of America Annual Meeting Abstracts* **86**:280.
- Gall, L. F. 1984. POPULATION STRUCTURE AND RECOMMENDATIONS FOR CONSERVATION OF THE NARROWLY ENDEMIC ALPINE BUTTERFLY *BOLORIA-ACROCNEMA* LEPIDOPTERA NYMPHALIDAE. *Biological Conservation* **28**:111-138.
- Gaskin, D. E. 1995. Butterfly conservation programs must be based on appropriate ecological information. *Proceedings of the Entomological Society of Ontario* **126**:15-27.
- Gelbrecht, J., A. Richert, and H. Wegner. 1995. Habitat requirements of selected most endangered or extinct butterfly species from Mark Brandenburg (Lep). *Entomologische Nachrichten und Berichte* **39**:183-204.
- Gerell, R. 1997. Management of roadside vegetation: Effects on density and species diversity of butterflies in Scania, south Sweden. *Entomologisk Tidskrift* **118**:171-176.
- Girardello, M., M. Griggio, M. J. Whittingham, and S. P. Rushton. 2009. Identifying important areas for butterfly conservation in Italy. *Animal Conservation* **12**:20-28.
- Goehring, D. M., G. C. Daily, S. Dasgupta, and P. R. Ehrlich. 2007. Range occupancy and endangerment: A test with a butterfly community. *American Midland Naturalist* **157**:106-120.
- Gompert, Z., C. C. Nice, J. A. Fordyce, M. L. Forister, and A. M. Shapiro. 2006. Identifying units for conservation using molecular systematics: the cautionary tale of the Karner blue butterfly. *Molecular Ecology* **15**:1759-1768.
- Greatorex-Davies, J. N., M. L. Hall, and R. H. Marrs. 1992a. The conservation of the pearl-bordered fritillary butterfly (*Boloria euphrosyne* L.): Preliminary studies on the creation and management of glades in conifer plantations. *Forest Ecology and Management* **53**:1-14.
- Greatorex-Davies, J. N., T. H. Sparks, M. L. Hall, and R. H. Marrs. 1992b. The influence of shade on butterflies in rides of coniferised lowland woods in southern England and implications for conservation management. *Biological Conservation* **63**:31-41.

- Griebeler, E. M., and A. Seitz. 2002. An individual based model for the conservation of the endangered Large Blue Butterfly, *Maculinea arion* (Lepidoptera: Lycaenidae). *Ecological Modelling* **156**:43-60.
- Grill, A., D. F. R. Cleary, C. Stettmer, M. Braeu, and J. Settele. 2008. A mowing experiment to evaluate the influence of management on the activity of host ants of *Maculinea* butterflies. *Journal of Insect Conservation* **12**:617-627.
- Groenendijk, D., and J. van der Meulen. 2004. Conservation of moths in The Netherlands: population trends, distribution patterns and monitoring techniques of day-flying moths. *Journal of Insect Conservation* **8**:109-118.
- Grundel, R., G. S. Dulin, and N. B. Pavlovic. 2001. Response of a butterfly community to habitat structure along a continuum of degraded savanna sites. *Ecological Society of America Annual Meeting Abstracts* **86**:103.
- Grundel, R., and N. B. Pavlovic. 2007. Resource availability, matrix quality, microclimate, and spatial pattern as predictors of patch use by the Karner blue butterfly. *Biological Conservation* **135**:135-144.
- Grundel, R., N. B. Pavlovic, and C. L. Sulzman. 1998a. Habitat use by the endangered Karner blue butterfly in oak woodlands: The influence of canopy cover. *Biological Conservation* **85**:47-53.
- Grundel, R., N. P. Pavlovic, and C. L. Sulzman. 1998b. The effect of canopy cover and seasonal change on host plant quality for the endangered Karner blue butterfly (*Lycaeides melissa samuelis*). *Oecologia (Berlin)* **114**:243-250.
- Gutierrez, D. 2004. Testing the long-term persistence in reserves of a rare butterfly with a spatially-explicit dynamic approach. *Ecological Society of America Annual Meeting Abstracts* **89**:194-195.
- Gutierrez, D. 2005. Effectiveness of existing reserves in the long-term protection of a regionally rare butterfly. *Conservation Biology* **19**:1586-1597.
- Gutierrez, D., and R. Menendez. 2007. Regional hotspots of butterfly diversity in a protected area: Are they indicators of unique assemblages and areas with more species of conservation concern? *Acta Oecologica* **32**:301-311.
- Gutierrez, D., C. D. Thomas, and J. L. Leon-Cortes. 1999. Dispersal, distribution, patch network and metapopulation dynamics of the dingy skipper butterfly (*Erynnis tages*). *Oecologia (Berlin)* **121**:506-517.
- Haddad, N. 2000. Corridor length and patch colonization by a butterfly, *Junonia coenia*. *Conservation Biology* **14**:738-745.

- Haddad, N. M., and K. A. Baum. 1999. An experimental test of corridor effects on butterfly densities. *Ecological Applications* **9**:623-633.
- Haddad, N. M., B. Hudgens, C. Damiani, K. Gross, D. Kuefler, and K. Pollock. 2008. Determining optimal population monitoring for rare butterflies. *Conservation Biology* **22**:929-940.
- Haddad, N. M., and J. J. Tewksbury. 2002. Separating effects of patch size and shape from corridor effects on butterfly movement. *Ecological Society of America Annual Meeting Abstracts* **87**:147-148.
- Haddad, N. M., and J. J. Tewksbury. 2005. Low-quality habitat corridors as movement conduits for two butterfly species. *Ecological Applications* **15**:250-257.
- Haikola, S., W. Fortelius, R. B. O'Hara, M. Kuussaari, N. Wahlberg, I. J. Saccheri, M. C. Singer, and I. Hanski. 2001. Inbreeding depression and the maintenance of genetic load in *Melitaea cinxia* metapopulations. *Conservation Genetics* **2**:325-335.
- Hallstrom, W., and J. Roland. 2004. Effect of habitat loss and invasion by Scotch Broom (*Cytisus scoparius*) on rare butterflies of Garry oak meadows. *Ecological Society of America Annual Meeting Abstracts* **89**:200.
- Hamm, C. A. 2007. DESIGNATION OF A NEOTYPE FOR MITCHELL'S SATYR, *NEONYMPHA MITCHELLII* (LEPIDOPTERA: NYMPHALIDAE). *Great Lakes Entomologist* **40**:201-202.
- Hanski, I., and M. Kuussaari. 1994. Butterfly metapopulation dynamics. *Bulletin of the Ecological Society of America* **75**:86.
- Hanski, I., A. Moilanen, T. Pakkala, and M. Kuussaari. 1996. The quantitative incidence function model and persistence of an endangered butterfly metapopulation. *Conservation Biology* **10**:578-590.
- Hanski, I., T. Pakkala, M. Kuussaari, and G. Lei. 1995. Metapopulation persistence of an endangered butterfly in a fragmented landscape. *Oikos* **72**:21-28.
- Hardy, P. B., T. H. Sparks, N. J. B. Isaac, and R. L. H. Dennis. 2007. Specialism for larval and adult consumer resources among British butterflies: Implications for conservation. *Biological Conservation* **138**:440-452.
- Harper, G. L., N. Maclean, and D. Goulson. 2008. Molecular evidence for a recent founder event in the UK populations of the Adonis blue butterfly (*Polyommatus bellargus*). *Journal of Insect Conservation* **12**:147-153.

- Hart, R., and M. Powell. 1997. Status of the northern population of the butterfly, the western dark azure (*Ogyris otares*) in western Australia. *Western Australian Naturalist* **21**:185-190.
- Heikkinen, R. K., M. Luoto, M. Kuussaari, and T. Toivonen. 2007. Modelling the spatial distribution of a threatened butterfly: Impacts of scale and statistical technique. *Landscape and Urban Planning* **79**:347-357.
- Hellmann, J. J., S. L. Pelini, K. M. Prior, and J. D. K. Dzirisin. 2008. The response of two butterfly species to climatic variation at the edge of their range and the implications for poleward range shifts. *Oecologia (Berlin)* **157**:583-592.
- Hermann, G. 1994. Habitat preference, endangerment and protection of the hairstreak butterfly (*Satyrrium w-album* Knoch 1782) in Baden-Wuerttemberg with remarks on the distribution (Lepidoptera, Lycaenidae). *Jahreshefte der Gesellschaft fuer Naturkunde in Wuerttemberg* **150**:223-236.
- Hermann, G., and R. Steiner. 1997. Egg-laying preference and larval habitat of the silver-spotted skipper butterfly (*Hesperia comma* Linne, 1758) in Baden-Wuerttemberg (Lepidoptera, Hesperidae). *Carolinea* **55**:35-42.
- Hermann, G., and R. Steiner. 1998. Egg-laying habitat and distribution of the copper *Lycaena alciphron* in Baden-Wuerttemberg (Lepidoptera, Lycaenidae). *Carolinea* **56**:99-102.
- Hermann, S. M. 2002. Effect of month of burn on plant flowering and butterfly abundance in the Southeast U.S. *Ecological Society of America Annual Meeting Abstracts* **87**:156-157.
- Hermes, C. P., D. G. McCullough, D. L. Miller, L. S. Bauer, and R. A. Haack. 1996. Laboratory rearing of *Lycaeides melissa samuelis* (Lepidoptera: Lycaenidae), an endangered butterfly in Michigan. *Great Lakes Entomologist* **29**:63-75.
- Hill, J. K. 1999. Butterfly spatial distribution and habitat requirements in a tropical forest: Impacts of selective logging. *Journal of Applied Ecology* **36**:564-572.
- Hill, J. K., C. D. Thomas, and O. T. Lewis. 1999. Flight morphology in fragmented populations of a rare British butterfly, *Hesperia comma*. *Biological Conservation* **87**:277-283.
- Hoettinger, H., B. C. Schlick-Steiner, and F. M. Steiner. 2003. The alcon blue *Maculinea alcon*, (Lepidoptera: Lycaenidae) in eastern Austria: Status and conservation measures. *Ekologia (Bratislava)* **22**:107-118.
- Holl, K. D. 1995. Nectar resources and their influence on butterfly communities on reclaimed coal surface mines. *Restoration Ecology* **3**:76-85.

- Holloway, G. J., G. H. Griffiths, and P. Richardson. 2003. Conservation strategy maps: A tool to facilitate biodiversity action planning illustrated using the heath fritillary butterfly. *Journal of Applied Ecology* **40**:413-421.
- Hoyle, M., and M. James. 2005. Global warming, human population pressure, and viability of the world's smallest butterfly. *Conservation Biology* **19**:1113-1124.
- Hudgens, B. R. 2004. Variation in patch quality and the importance of patch location in habitat restoration strategies for an endangered butterfly. *Ecological Society of America Annual Meeting Abstracts* **89**:235.
- Hula, V., M. Konvicka, A. Pavlicko, and Z. Fric. 2004. Marsh Fritillary (*Euphydryas aurinia*) in the Czech Republic: monitoring, metapopulation structure, and conservation of an endangered butterfly. *Entomologica Fennica* **15**:231-241.
- Huntzinger, M. 2003. Effects of fire management practices on butterfly diversity in the forested western United States. *Biological Conservation* **113**:1-12.
- Jelinek, A. 1995. Conservation strategy for a threatened 'butterfly community'. *Victorian Naturalist (South Yarra)* **112**:47-50.
- Johannesen, J., U. Schwing, W. Seufert, A. Seitz, and M. Veith. 1997. Analysis of gene flow and habitat patch network for *Chazara briseis* (Lepidoptera: Satyridae) in an agricultural landscape. *Biochemical Systematics and Ecology* **25**:419-427.
- Johst, K., M. Drechsler, J. Thomas, and J. Settele. 2006. Influence of mowing on the persistence of two endangered large blue butterfly species. *Journal of Applied Ecology* **43**:333-342.
- Joy, J., and A. S. Pullin. 1999. Field studies on flooding and survival of overwintering large heath butterfly *Coenonympha tullia* larvae on Fenn's and Whixall Mosses in Shropshire and Wrexham, U.K. *Ecological Entomology* **24**:426-431.
- Kadlec, T., J. Benes, V. Jarosik, and M. Konvicka. 2008. Revisiting urban refuges: Changes of butterfly and burnet fauna in Prague reserves over three decades. *Landscape and Urban Planning* **85**:1-11.
- Kery, M., D. Matthies, and M. Fischer. 2001. The effect of plant population size on the interactions between the rare plant *Gentiana cruciata* and its specialized herbivore *Maculinea rebeli*. *Journal of Ecology* **89**:418-427.
- King, R. S. 1998. Dispersal of Karner blue butterflies (*Lycaeides melissa samuelis* Nabokov) at Necedah National Wildlife Refuge. *Transactions of the Wisconsin Academy of Sciences Arts and Letters* **86**:101-110.
- Kitahara, M. 2004. Butterfly community composition and conservation in and around a primary woodland of Mount Fuji, central Japan. *Biodiversity and Conservation* **13**:917-942.

- Kitahara, M., M. Yumoto, and T. Kobayashi. 2008. Relationship of butterfly diversity with nectar plant species richness in and around the Aokigahara primary woodland of Mount Fuji, central Japan. *Biodiversity and Conservation* **17**:2713-2734.
- Kleintjes, P. K., B. F. Jacobs, and S. M. Fettig. 2004. Initial response of butterflies to an overstory reduction and slash mulching treatment of a degraded pinon-juniper woodland. *Restoration Ecology* **12**:231-238.
- Knapp, S., I. Kuehn, V. Mosbrugger, and S. Klotz. 2008. Do protected areas in urban and rural landscapes differ in species diversity? *Biodiversity and Conservation* **17**:1595-1612.
- Knutson, R. L., J. R. Kwilosz, and R. Grundel. 1999. Movement patterns and population characteristics of the Karner blue butterfly (*Lycaeides melissa samuelis*) at Indiana Dunes National Lakeshore. *Natural Areas Journal* **19**:109-120.
- Kobayashi, T., T. Nakashizuka, and M. Kitahara. 2009. Effects of fragmentation of secondary broadleaf deciduous forests on populations of the near-threatened butterfly, *Sasakia charonda* (Lepidoptera, Nymphalidae), in central Japan. *Ecological Research* **24**:57-64.
- Koepfel, C., J. Spelda, and H. Rahmann. 1994. The butterflies (Lepidoptera) of four gravel pits at different succession stage in Upper Swabia. *Jahreshefte der Gesellschaft fuer Naturkunde in Wuerttemberg* **150**:237-279.
- Koh, L. P., R. R. Dunn, N. S. Sodhi, R. K. Colwell, H. C. Proctor, and V. S. Smith. 2004. Species coextinctions and the biodiversity crisis. *Science (Washington D C)* **305**:1632-1615.
- Koh, L. P., and N. S. Sodhi. 2004. Importance of reserves, fragments, and parks for butterfly conservation in a tropical urban landscape. *Ecological Applications* **14**:1695-1708.
- Konvicka, M., V. Hula, and Z. Fric. 2003a. Habitat of pre-hibernating larvae of the endangered butterfly *Euphydryas aurinia* (Lepidoptera: Nymphalidae): What can be learned from vegetation composition and architecture? *European Journal of Entomology* **100**:313-322.
- Konvicka, M., and T. Kuras. 1999. Population structure, behaviour and selection of oviposition sites of an endangered butterfly, *Parnassius mnemosyne*, in Litovelske Pomoravi, Czech Republic. *Journal of Insect Conservation* **3**:211-223.
- Konvicka, M., M. Maradova, J. Benes, Z. Fric, and P. Kepka. 2003b. Uphill shifts in distribution of butterflies in the Czech Republic: Effects of changing climate detected on a regional scale. *Global Ecology and Biogeography* **12**:403-410.
- Korbholz, B. 2007. Checkerspot butterfly and grassland restoration and work party at Edgewood County Park and Natural Preserve. *Ecological Society of America Annual Meeting Abstracts*.

- Krauss, J., T. Schmitt, A. Seitz, I. Steffan-Dewenter, and T. Tschardtke. 2004a. Effects of habitat fragmentation on the genetic structure of the monophagous butterfly *Polyommatus coridon* along its northern range margin. *Molecular Ecology* **13**:311-320.
- Krauss, J., I. Steffan-Dewenter, and T. Tschardtke. 2003. Local species immigration, extinction, and turnover of butterflies in relation to habitat area and habitat isolation. *Oecologia (Berlin)* **137**:591-602.
- Krauss, J., I. Steffan-Dewenter, and T. Tschardtke. 2004b. Landscape occupancy and local population size depends on host plant distribution in the butterfly *Cupido minimus*. *Biological Conservation* **120**:355-361.
- Kuefler, D., N. M. Haddad, S. Hall, B. Hudgens, B. Bartel, and E. Hoffman. 2008. Distribution, population structure and habitat use of the endangered Saint Francis Satyr butterfly, *Neonympha mitchellii francisci*. *American Midland Naturalist* **159**:298-320.
- Kulfan, J., M. Kulfan, P. Zach, and W. Topp. 1997. Will the small tortoiseshell, *Aglais urticae* (Nymphalidae), be endangered in the future? *Nota Lepidopterologica* **20**:330-334.
- Kumar, S., S. E. Simonson, and T. J. Stohlgren. 2009. Effects of spatial heterogeneity on butterfly species richness in Rocky Mountain National Park, CO, USA. *Biodiversity and Conservation* **18**:739-763.
- Kuusaari, M., I. Saccheri, M. Camara, and I. Hanski. 1998. Allee effect and population dynamics in the Glanville fritillary butterfly. *Oikos* **82**:384-392.
- Kwilosz, J. R., and R. L. Knutson. 1999. Prescribed fire management of Karner blue butterfly habitat at Indiana Dunes National Lakeshore. *Natural Areas Journal* **19**:98-108.
- Lai, B.-C. G., and A. S. Pullin. 2004. Phylogeography, genetic diversity and conservation of the large copper butterfly *Lycaena dispar* in Europe. *Journal of Insect Conservation* **8**:27-35.
- Lane, C. P., and D. A. Andow. 2003. Oak savanna subhabitat variation and the population biology of *Lycaeides melissa samuelis* (Lepidoptera: Lycaenidae). *Annals of the Entomological Society of America* **96**:799-809.
- Launer, A. E., and D. D. Murphy. 1994. Umbrella species and the conservation of habitat fragments: A case of a threatened butterfly and a vanishing grassland ecosystem. *Biological Conservation* **69**:145-153.
- Launer, A. E., D. D. Murphy, J. M. Hoekstra, and H. R. Sparrow. 1992. The endangered Myrtle's silverspot butterfly: Present status and initial conservation planning. *Journal of Research on the Lepidoptera* **31**:132-146.

- Legge, J. T., and M. L. Rabe. 1997. Observations of oviposition and larval ecology in caged Mitchell's satyr butterflies (*Neonympha mitchelli mitchelli*) (Lepidoptera: Nymphalidae). *Bulletin of the Ecological Society of America* **78**:129.
- Leon-Cortes, J. L., M. J. R. Cowley, and C. D. Thomas. 1999. Detecting decline in a formerly widespread species: How common is the common blue butterfly *Polyommatus icarus*? *Ecography* **22**:643-650.
- Leon-Cortes, J. L., F. Perez-Espinoza, L. Marin, and A. Molina-Martinez. 2004. Complex habitat requirements and conservation needs of the only extant Baroniinae swallowtail butterfly. *Animal Conservation* **7**:241-250.
- Liu, W., Y. Wang, and R. Xu. 2006. Habitat utilization by ovipositing females and larvae of the Marsh fritillary (*Euphydryas aurinia*) in a mosaic of meadows and croplands. *Journal of Insect Conservation* **10**:351-360.
- Lomov, B., D. A. Keith, D. R. Britton, and D. F. Hochuli. 2006. Are butterflies and moths useful indicators for restoration monitoring? A pilot study in Sydney's Cumberland Plain Woodland. *Ecological Management & Restoration* **7**:204-210.
- Longcore, T., R. Mattoni, and A. Mattoni. 2005. Salvage of individual pupae as a mitigation measure for loss of Palos Verdes blue butterfly habitat. *Journal of the Lepidopterists' Society* **59**:116-117.
- Longcore, T., C. Zonneveld, J. Bruggeman, and R. Mattoni. 2002. Tracking population responses of the endangered Palos Verdes blue butterfly to habitat enhancement with INCA (INsect Count Analyzer). *Ecological Society of America Annual Meeting Abstracts* **87**:195.
- Louy, D., J. C. Habel, T. Schmitt, T. Assmann, M. Meyer, and P. Muller. 2007. Strongly diverging population genetic patterns of three skipper species: the role of habitat fragmentation and dispersal ability. *Conservation Genetics* **8**:671-681.
- Lu, S. S., and M. J. Samways. 2002a. Behavioural ecology of the Karkloof blue butterfly *Orachrysops ariadne* (Lepidoptera: Lycaenidae) relevant to its conservation. *African Entomology* **10**:137-147.
- Lu, S. S., and M. J. Samways. 2002b. Conservation management recommendations for the Karkloof blue butterfly, *Orachrysops ariadne* (Lepidoptera: Lycaenidae). *African Entomology* **10**:149-159.
- Luetolf, M., J. Bolliger, F. Kienast, and A. Guisan. 2009. Scenario-based assessment of future land use change on butterfly species distributions. *Biodiversity and Conservation* **18**:1329-1347.
- Lushai, G., W. Fjellsted, O. Marcovitch, K. Aagaard, T. N. Sherratt, J. A. Allen, and N. Maclean. 2000. Application of molecular techniques to non-lethal tissue samples of endangered

- butterfly populations (*Parnassius apollo* L.) in Norway for conservation management. *Biological Conservation* **94**:43-50.
- Maccherini, S., G. Bacaro, L. Favilli, S. Piazzini, E. Santi, and M. Marignani. 2009. Congruence among vascular plants and butterflies in the evaluation of grassland restoration success. *Acta Oecologica* **35**:311-317.
- Maes, D., and D. Bonte. 2006. Using distribution patterns of five threatened invertebrates in a highly fragmented dune landscape to develop a multispecies conservation approach. *Biological Conservation* **133**:490-499.
- Maes, D., and H. van Dyck. 2005. Habitat quality and biodiversity indicator performances of a threatened butterfly versus a multispecies group for wet heathlands in Belgium. *Biological Conservation* **123**:177-187.
- Maes, D., W. Vanreusel, W. Talloen, and H. van Dyck. 2004. Functional conservation units for the endangered Alcon Blue butterfly *Maculinea alcon* in Belgium (Lepidoptera: Lycaenidae). *Biological Conservation* **120**:229-241.
- Marini, L., P. Fontana, S. Klimek, A. Battisti, and K. J. Gaston. 2009. Impact of farm size and topography on plant and insect diversity of managed grasslands in the Alps. *Biological Conservation* **142**:394-403.
- Marschalek, D. A., and D. H. Deutschman. 2008. Hermes copper (*Lycaena* [Hermelycaena] hermes : Lycaenidae): life history and population estimation of a rare butterfly. *Journal of Insect Conservation* **12**:97-105.
- Martin, L. A., and A. S. Pullin. 2004a. Host-plant specialisation and habitat restriction in an endangered insect, *Lycaena dispar batavus* (Lepidoptera: Lycaenidae) I. Larval feeding and oviposition preferences. *European Journal of Entomology* **101**:51-56.
- Martin, L. A., and A. S. Pullin. 2004b. Host-plant specialisation and habitat restriction in an endangered insect, *Lycaena dispar batavus* (Lepidoptera: Lycaenidae) II. Larval survival on alternative host plants in the field. *European Journal of Entomology* **101**:57-62.
- Martin-Cano, J., and J. M. Ferrin. 1998. Changes in butterfly diversity in three reforested areas in Spain. *Journal of the Lepidopterists' Society* **52**:151-165.
- Marttila, O., K. Saarinen, and J. Jantunen. 1997. Habitat restoration and a successful reintroduction of the endangered Baton blue butterfly (*Pseudophilotes baton schiffermuelleri*) in SE Finland. *Annales Zoologici Fennici* **34**:177-185.
- Marttila, O., K. Saarinen, and P. Marttila. 2000. Six years from passing bell to recovery: Habitat restoration of the threatened Chequered Blue Butterfly (*Scolitantides orion*) in SE Finland. *Entomologica Fennica* **11**:113-117.

- Mathew, G., and M. Anto. 2007. In situ conservation of butterflies through establishment of butterfly gardens: A case study at Peechi, Kerala, India. *Current Science (Bangalore)* **93**:337-347.
- Matter, S. E., J. Roland, A. Moilanen, and I. Hanski. 2004. Migration and survival of *Parnassius smintheus*: Detecting effects of habitat for individual butterflies. *Ecological Applications* **14**:1526-1534.
- Mattoni, R. 1992. Rediscovery of the endangered Palos Verdes blue butterfly, *Glaucopsyche lygdamus palosverdesensis* Perkins and Emmel (Lycaenidae). *Journal of Research on the Lepidoptera* **31**:180-194.
- Mattoni, R., T. Longcore, Z. Krenova, and A. Lipman. 1998. Mass rearing the endangered Palos Verdes blue butterfly (*Glaucopsyche lygdamus palosverdesensis*: Lycaenidae). *Journal of Research on the Lepidoptera* **37**:55-67.
- Mattoni, R., G. F. Pratt, T. R. Longcore, J. F. Emmel, and J. N. George. 1995. The endangered quino checkerspot butterfly, *Euphydryas editha quino* (Lepidoptera: Nymphalidae). *Journal of Research on the Lepidoptera* **34**:99-118.
- McIntire, E. J. B., C. B. Schultz, and E. E. Crone. 2007. Designing a network for butterfly habitat restoration: where individuals, populations and landscapes interact. *Journal of Applied Ecology* **44**:725-736.
- Mennechez, G., N. Schtickzelle, and M. Baguette. 2003. Metapopulation dynamics of the bog fritillary butterfly: Comparison of demographic parameters and dispersal between a continuous and a highly fragmented landscape. *Landscape Ecology* **18**:279-291.
- Meyer, C. L., and T. D. Sisk. 2001. Butterfly response to microclimatic conditions following ponderosa pine restoration. *Restoration Ecology* **9**:453-461.
- Mihoci, I., A. Delic, B. Gjurasin, M. Bucar, and M. Kucinic. 2007. First finding of the critically endangered butterfly *Maculinea alcon* (Denis & Schiffermuller, 1775) (Lepidoptera : Lycaenidae) in the Pannonian part of Croatia. *Natura Croatica* **16**:19-28.
- Miskelly, J. W., and D. S. Eastman. 2002. Habitat requirements of endangered butterflies in south-western British Columbia: Implications for restoration and conservation. *Ecological Society of America Annual Meeting Abstracts* **87**:393.
- Moellenbeck, V., G. Hermann, and T. Fartmann. 2009. Does prescribed burning mean a threat to the rare satyrine butterfly *Hipparchia fagi*? Larval-habitat preferences give the answer. *Journal of Insect Conservation* **13**:77-87.
- Moilanen, A., and M. Cabeza. 2002. Single-species dynamic site selection. *Ecological Applications* **12**:913-926.

- Moran, M. D., and C. D. Baldrige. 2002. Distribution of the Diana Fritillary, *Speyeria diana* (Nymphalidae) in Arkansas, with notes on nectar plant and habitat preference. *Journal of the Lepidopterists' Society* **56**:162-165.
- Morton, J. K., and R. R. Tasker. 1980. STATUS OF THE WEST-VIRGINIA WHITE BUTTERFLY *ARTOGEIA-VIRGINIENSIS* ON MANITOULIN ISLAND CANADA. *Canadian Field-Naturalist* **94**:325-327.
- Mouquet, N., V. Belrose, J. A. Thomas, G. W. Elmes, R. T. Clarke, and M. E. Hochberg. 2005a. Conserving community modules: A case study of the endangered lycaenid butterfly *Maculinea alcon*. *Ecology (Washington D C)* **86**:3160-3173.
- Mouquet, N., J. A. Thomas, G. W. Elmes, R. T. Clarke, and M. E. Hochberg. 2005b. Population dynamics and conservation of a specialized predator: A case study of *Maculinea arion*. *Ecological Monographs* **75**:525-542.
- Mousson, L., G. Neve, and M. Baguette. 1999. Metapopulation structure and conservation of the cranberry fritillary *Boloria aquilonaris* (Lepidoptera, Nymphalidae) in Belgium. *Biological Conservation* **87**:285-293.
- Muehlenberg, M., J. Slowik, R. Samiya, C. Dulamsuren, C. Gantigmaa, and M. Woyciechowski. 2000. The conservation value of West Khentii, North Mongolia: Evaluation of plant and butterfly communities. *Fragmenta Floristica et Geobotanica* **45**:63-90.
- Muggleton, J., and B. R. Benham. 1975. ISOLATION AND THE DECLINE OF THE LARGE BLUE BUTTERFLY *MACULINEA-ARION* IN GREAT BRITAIN. *Biological Conservation* **7**:119-128.
- Murphy, D. D., M. S. Menninger, P. R. Ehrlich, and B. A. Wilcox. 1986. LOCAL POPULATION DYNAMICS OF ADULT BUTTERFLIES AND THE CONSERVATION STATUS OF TWO CLOSELY RELATED SPECIES. *Biological Conservation* **37**:201-224.
- Nelson, S. M., and R. Wydoski. 2008. Riparian butterfly (papilionoidea and hesperioidea) assemblages associated with Tamarix-dominated, native vegetation-dominated, and Tamarix removal sites along the Arkansas River, Colorado USA. *Restoration Ecology* **16**:168-179.
- New, T. R. 1997. *Butterfly conservation*, Second edition.
- New, T. R. 2006. Is there any future for butterfly credits in conservation planning? *Journal of Insect Conservation* **10**:1-3.
- New, T. R. 2009a. Are regional strategies for insect conservation feasible? *Journal of Insect Conservation* **13**:263-265.

- New, T. R. 2009b. Forty years of Butterfly Conservation! *Journal of Insect Conservation* **13**:1-2.
- New, T. R., and D. R. Britton. 1997. Refining a conservation plan for an endangered lycaenid butterfly, *Acrodipsas myrmecophila*, in Victoria, Australia. *Journal of Insect Conservation* **1**:65-72.
- New, T. R., R. M. Pyle, J. A. Thomas, C. D. Thomas, and P. C. Hammond. 1995. Butterfly conservation management. Pages 57-83 in T. E. Mittler, F. J. Radovsky, and V. H. Resh, editors. *Annual Review of Entomology*.
- New, T. R., and D. P. A. Sands. 2002. Conservation concerns for butterflies in urban areas of Australia. *Journal of Insect Conservation* **6**:207-215.
- New, T. R., and D. P. A. Sands. 2004. Management of threatened insect species in Australia, with particular reference to butterflies. *Australian Journal of Entomology* **43**:258-270.
- Neyland, M. G. 1993. The ecology and conservation management of the ptunarra brown butterfly *Oreixenica ptunarra* (Lepidoptera; Nymphalidae; Satyrinae) in Tasmania, Australia. *Papers and Proceedings of the Royal Society of Tasmania* **127**:43-48.
- Nicholls, C. N., and A. S. Pullin. 2000. A comparison of larval survivorship in wild and introduced populations of the large copper butterfly (*Lycaena dispar batavus*). *Biological Conservation* **93**:349-358.
- Nicholls, C. N., and A. S. Pullin. 2003. The effects of flooding on survivorship in overwintering larvae of the large copper butterfly *Lycaena dispar batavus* (Lepidoptera: Lycaenidae), and its possible implications for restoration management. *European Journal of Entomology* **100**:65-72.
- Niell, R. S., P. F. Brussard, and D. D. Murphy. 2007. Butterfly community composition and oak woodland vegetation response to rural residential development. *Landscape and Urban Planning* **81**:235-245.
- Nilsson, S. G., M. Franzen, and E. Jonsson. 2008. Long-term land-use changes and extinction of specialised butterflies. *Insect Conservation and Diversity* **1**:197-207.
- Nowicki, P., A. Pepkowska, J. Kudlek, P. Skorka, M. Witek, J. Settele, and M. Woyciechowski. 2007. From metapopulation theory to conservation recommendations: Lessons from spatial occurrence and abundance patterns of *Maculinea* butterflies. *Biological Conservation* **140**:119-129.
- Nowicki, P., M. Witek, P. Skorka, J. Settele, and M. Woyciechowski. 2005a. Population ecology of the endangered butterflies *Maculinea teleius* and *M-nausithous* and the implications for conservation. *Population Ecology* **47**:193-202.

- Nowicki, P., M. Witek, P. Skorka, and M. Woyciechowski. 2005b. Oviposition patterns in the myrmecophilous butterfly *Maculinea alcon* Denis & Schiffermuller (Lepidoptera : Lycaenidae) in relation to characteristics of foodplants and presence of ant hosts. *Polish Journal of Ecology* **53**:409-417.
- Ockinger, E., A. K. Eriksson, and H. G. Smith. 2006a. Effects of grassland abandonment, restoration and management on butterflies and vascular plants. *Biological Conservation* **133**:291-300.
- Ockinger, E., O. Hammarstedt, S. G. Nilsson, and H. G. Smith. 2006b. The relationship between local extinctions of grassland butterflies and increased soil nitrogen levels. *Biological Conservation* **128**:564-573.
- Ohwaki, A., K. Nakamura, and S.-I. Tanabe. 2007. Butterfly assemblages in a traditional agricultural landscape: importance of secondary forests for conserving diversity, life history specialists and endemics. *Biodiversity and Conservation* **16**:1521-1539.
- Ovaskainen, O., M. Luoto, I. Ikonen, H. Rekola, E. Meyke, and M. Kuussaari. 2008a. An empirical test of a diffusion model: Predicting clouded apollo movements in a novel environment. *American Naturalist* **171**:610-619.
- Ovaskainen, O., M. Luoto, I. Ikonen, H. Rekola, E. Meyke, and M. Kuussaari. 2008b. An empirical test of a diffusion model: Predicting clouded apollo movements in a novel environment. *American Naturalist* **171**:610-619.
- Packer, L., J. S. Taylor, D. A. Savignano, C. A. Bleser, C. P. Lane, and L. A. Sommers. 1998. Population biology of an endangered butterfly, *Lycaeides melissa samuelis* (Lepidoptera: Lycaenidae): Genetic variation, gene flow, and taxonomic status. *Canadian Journal of Zoology* **76**:320-329.
- Palo, J., S.-L. Varvio, I. Hanski, and R. Vainola. 1995. Developing microsatellite markers for insect population structure: Complex variation in a checkerspot butterfly. *Hereditas (Lund)* **123**:295-300.
- Parshall, D. K., and T. W. Kral. 1989. A NEW SUBSPECIES OF NEONYMPHA-MITCHELLII FRENCH SATYRIDAE FROM NORTH CAROLINA USA. *Journal of the Lepidopterists' Society* **43**:114-119.
- Pascher, K., and R. Raab. 2002. Vegetation and butterflies on the Danube Island: Inventory and recommendations for optimising the cutting-management of meadows. *Denisia*:151-176.
- Pe'er, G., and D. Benyamini. 2008. A template for publishing the "conservation chain" from problem identification to practical action, exemplified through the campaign for butterfly protection in Israel. *Israel Journal of Ecology & Evolution* **54**:19-39.

- Pe'er, G., and J. Settele. 2008. Butterflies in and for conservation: Trends and prospects. *Israel Journal of Ecology & Evolution* **54**:7-17.
- Pfitsch, W. A., and E. H. Williams. 2009. Habitat Restoration for Lupine and Specialist Butterflies. *Restoration Ecology* **17**:226-233.
- Pickens, B. A., and K. V. Root. 2008. Factors affecting host-plant quality and nectar use for the Karner blue butterfly: Implications for oak savanna restoration. *Natural Areas Journal* **28**:210-217.
- Pickens, B. A., and K. V. Root. 2009. Behavior as a tool for assessing a managed landscape: a case study of the Karner blue butterfly. *Landscape Ecology* **24**:243-251.
- Pickering, D. L. 1997. Ecological studies leading toward conservation of a rare invertebrate, the Oregon silverspot butterfly, *Speyeria zerene hippolyta*. *Bulletin of the Ecological Society of America* **78**:162.
- Pickering, D. L., and D. W. Salzer. 2004. Adapting management for grassland, butterflies, and fire. *Ecological Society of America Annual Meeting Abstracts* **89**:399-400.
- Poeyry, J., J. Paukkunen, J. Heliöelä, and M. Kuussaari. 2009. Relative contributions of local and regional factors to species richness and total density of butterflies and moths in semi-natural grasslands. *Oecologia (Berlin)* **160**:577-587.
- Pollard, E., and A. S. Cooke. 1994. Impact of muntjac deer *Muntiacus reevesi* on egg-laying sites on the white admiral butterfly *Ladoga camilla* in a Cambridgeshire wood. *Biological Conservation* **70**:189-191.
- Potts, S. G., B. A. Woodcock, S. P. M. Roberts, T. Tscheulin, E. S. Pilgrim, V. K. Brown, and J. R. Tallwin. 2009. Enhancing pollinator biodiversity in intensive grasslands. *Journal of Applied Ecology* **46**:369-379.
- Poyry, J., S. Lindgren, J. Salminen, and M. Kuussaari. 2004. Restoration of butterfly and moth communities in semi-natural grasslands by cattle grazing. *Ecological Applications* **14**:1656-1670.
- Poyry, J., S. Lindgren, J. Salminen, and M. Kuussaari. 2005. Responses of butterfly and moth species to restored cattle grazing in semi-natural grasslands. *Biological Conservation* **122**:465-478.
- Pratt, G. F., E. W. Hein, and D. M. Krofta. 2001. Newly discovered populations and food plants extend the range of the endangered quino checkerspot butterfly, *Euphydryas editha quino* (Nymphalidae) in southern California. *Journal of the Lepidopterists' Society* **55**:169-171.
- Pullin, A. S. 1996a. Restoration of butterfly populations in Britain. *Restoration Ecology* **4**:71-80.

- Pullin, A. S. 1996b. The conservation and restoration of the large copper butterfly, *Lycaena dispar*: Habitat and landscape requirements. *Bulletin of the Ecological Society of America* **77**:362.
- Pullin, A. S., Z. Balint, E. Balletto, J. Buszko, J. G. Coutsis, P. Goffart, M. Kulfan, J. E. Lhonore, J. Settele, and J. G. Van Der Made. 1998. The status, ecology and conservation of *Lycaena dispar* (Lycaenidae: Lycaenini) in Europe. *Nota Lepidopterologica* **21**:94-100.
- Ravenscroft, N. O. M. 1990. THE ECOLOGY AND CONSERVATION OF THE SILVER-STUDDED BLUE BUTTERFLY *PLEBEJUS-ARGUS* L. ON THE SANDLINGS OF EAST ANGLIA ENGLAND UK. *Biological Conservation* **53**:21-36.
- Ravenscroft, N. O. M. 1994a. The ecology of the chequered skipper butterfly *Carterocephalus palaemon* in Scotland. I. Microhabitat. *Journal of Applied Ecology* **31**:613-622.
- Ravenscroft, N. O. M. 1994b. The ecology of the chequered skipper butterfly *Carterocephalus palaemon* in Scotland. II. Foodplant quality and population range. *Journal of Applied Ecology* **31**:623-630.
- Reeder, K. F., D. M. Debinski, and B. J. Danielson. 2005. Factors affecting butterfly use of filter strips in Midwestern USA. *Agriculture Ecosystems & Environment* **109**:40-47.
- Relf, M. C., and T. R. New. 2009. Conservation needs of the Altona skipper butterfly, *Hesperilla flavescens flavescens* Waterhouse (Lepidoptera: Hesperidae), near Melbourne, Victoria. *Journal of Insect Conservation* **13**:143-149.
- Ribeiro, D. B., P. I. Prado, K. S. Brown, Jr., and A. V. L. Freitas. 2008. Additive partitioning of butterfly diversity in a fragmented landscape: importance of scale and implications for conservation. *Diversity and Distributions* **14**:961-968.
- Ries, L., D. M. Debinski, and M. L. Wieland. 2001. Conservation value of roadside prairie restoration to butterfly communities. *Conservation Biology* **15**:401-411.
- Ries, L., and T. D. Sisk. 2008. Butterfly edge effects are predicted by a simple model in a complex landscape. *Oecologia (Berlin)* **156**:75-86.
- Romo, H., M. L. Munguira, and E. Garcia-Barros. 2007. Area selection for the conservation of butterflies in the Iberian Peninsula and Balearic Islands. *Animal Biodiversity and Conservation* **30**:7-27.
- Ruzickova, H., V. Banasova, and H. Kalivoda. 2004. Morava River alluvial meadows on the Slovak-Austrian border (Slovak part): plant community dynamics, floristic and butterfly diversity - threats and management. *Journal for Nature Conservation (Jena)* **12**:157-169.

- Saarinen, E. V., and J. C. Daniels. 2006. Miami blue butterfly larvae (Lepidoptera : Lycaenidae) and ants (Hymenoptera : Formicidae): New information on the symbionts of an endangered taxon. *Florida Entomologist* **89**:69-74.
- Saarinen, K., and J. Jantunen. 2002. A comparison of the butterfly fauna of agricultural habitats under different management history in Finnish and Russian Karelia. *Annales Zoologici Fennici* **39**:173-181.
- Saarinen, K., and J. Jantunen. 2005. Grassland butterfly fauna under traditional animal husbandry: Contrasts in diversity in mown meadows and grazed pastures. *Biodiversity and Conservation* **14**:3201-3213.
- Saarinen, K., J. Jantunen, and A. Valtonen. 2005. Resumed forest grazing restored a population of *Euphydryas aurinia* (Lepidoptera : Nymphalidae) in SE Finland. *European Journal of Entomology* **102**:683-690.
- Salvato, M. H. 2003. Butterfly conservation and hostplant fluctuations: The relationship between *Strymon acis bartrami* and *Anaea troglodyta floridalis* on *Croton linearis* in Florida (Lepidoptera: Lycaenidae and Nymphalidae). *Holarctic Lepidoptera* **10**:53-57.
- Samways, M. J. 2007. Insect conservation: A synthetic management approach. *Annual Review of Entomology* **52**:465-487.
- Samways, M. J., and S.-S. Lu. 2007. Key traits in a threatened butterfly and its common sibling: implications for conservation. *Biodiversity and Conservation* **16**:4095-4107.
- Sands, D. 2008a. Conserving the Richmond Birdwing Butterfly over two decades: Where to next? *Ecological Management & Restoration* **9**:4-16.
- Sands, D. 2008b. Conserving the Richmond Birdwing Butterfly over two decades: Where to next? *Ecological Management & Restoration* **9**:4-16.
- Sands, D. P. A., and T. R. New. 2008. Conservation status and needs of butterflies (Lepidoptera) on the Torres Strait Islands. *Journal of Insect Conservation* **12**:325-332.
- Sanford, M. P. 2002. Effects of successional old fields on butterfly richness and abundance in agricultural landscapes. *Great Lakes Entomologist* **35**:193-207.
- Sanford, M. P. 2006. Biology and conservation of the endangered Carson wandering skipper (*Pseudocopaeodes eunus obscurus* Austin and Emmel) in western Great Basin saltgrass communities. *Natural Areas Journal* **26**:396-402.
- Sardet, E., and P.-A. Betremieux. 2006. Distribution and conservation of marsh fritillary (*Euphydryas aurinia*) in the Lorraine region of France (Lepidoptera, Nymphalidae). *Linneana Belgica* **20**:163-179.

- Scheingross, J. S., S. D. Schoville, and G. K. Roderick. 2007. A comparison of species distribution models for Sierra Nevada butterflies: Examining distributions for current and future climates. Ecological Society of America Annual Meeting Abstracts.
- Scheper, M., J. Van Der Made, and I. Wynhoff 1995. *Maculinea alcon*: Interactions between a myrmecophilous butterfly, its larval foodplant and its host ants.
- Schmitt, T. 2003. Influence of forest and grassland management on the diversity and conservation of butterflies and burnet moths (Lepidoptera, Papilionoidea, Hesperidae, Zygaenidae). *Animal Biodiversity and Conservation* **26**:51-67.
- Schneider, C., and G. Fry. 2005. Estimating the consequences of land-use changes on butterfly diversity in a marginal agricultural landscape in Sweden. *Journal for Nature Conservation (Jena)* **13**:247-256.
- Schneider, C., and G. L. A. Fry. 2001. The influence of landscape grain size on butterfly diversity in grasslands. *Journal of Insect Conservation* **5**:163-171.
- Schtickzelle, N., J. Chouff, P. Goffart, V. Fichet, and M. Baguette. 2005a. Metapopulation dynamics and conservation of the marsh fritillary butterfly: Population viability analysis and management options for a critically endangered species in Western Europe. *Biological Conservation* **126**:569-581.
- Schtickzelle, N., C. Turlure, and M. Baguette. 2007. Grazing management impacts on the viability of the threatened bog fritillary butterfly *Proclossiana eunomia*. *Biological Conservation* **136**:651-660.
- Schtickzelle, N., M. F. WallisDeVries, and M. Baguette. 2005b. Using surrogate data in population viability analysis: the case of the critically endangered cranberry fritillary butterfly. *Oikos* **109**:89-100.
- Schultz, C. B. 1995. Corridors, islands and stepping stones: The role of dispersal behavior in designing reserves for a rare Oregon butterfly. *Bulletin of the Ecological Society of America* **76**:240.
- Schultz, C. B. 1997. Do trucks harm butterflies? Predicting the long-term effects of a truck disturbance on a rare Oregon butterfly. *Bulletin of the Ecological Society of America* **78**:181.
- Schultz, C. B. 1998. Dispersal behavior and its implications for reserve design in a rare Oregon butterfly. *Conservation Biology* **12**:284-292.
- Schultz, C. B. 2001. Restoring resources for an endangered butterfly. *Journal of Applied Ecology* **38**:1007-1019.

- Schultz, C. B., and G. C. Chang 1998. Challenges in insect conservation: Managing fluctuating populations in disturbed habitats.
- Schultz, C. B., and E. E. Crone. 1998. Burning prairie to restore butterfly habitat: A modeling approach to management tradeoffs for the Fender's blue. *Restoration Ecology* **6**:244-252.
- Schultz, C. B., and E. E. Crone. 2005. Patch size and connectivity thresholds for butterfly habitat restoration. *Conservation Biology* **19**:887-896.
- Schultz, C. B., and K. M. Dlugosch. 1999. Nectar and hostplant scarcity limit populations of an endangered Oregon butterfly. *Oecologia (Berlin)* **119**:231-238.
- Schultz, C. B., J. D. Dzurisin, and C. Russell. 2009. Captive rearing of Puget blue butterflies (*Icaricia icarioides blackmorei*) and implications for conservation. *Journal of Insect Conservation* **13**:309-315.
- Schultz, C. B., and P. C. Hammond. 2003. Using population viability analysis to develop recovery criteria for endangered insects: Case study of the Fender's blue butterfly. *Conservation Biology* **17**:1372-1385.
- Schultz, C. B., P. C. Hammond, and M. V. Wilson. 2003. Biology of the Fender's blue butterfly (*Icaricia icarioides fenderi* Macy), an endangered species of western Oregon native prairies. *Natural Areas Journal* **23**:61-71.
- Schultz, C. B., C. Russell, and L. Wynn. 2008. Restoration, reintroduction, and captive propagation for at-risk butterflies: A review of British and American conservation efforts. *Israel Journal of Ecology & Evolution* **54**:41-61.
- Schwarzwalder, B., M. L. A. Erhardt, and J. Zettel. 1997. Habitat utilization by the heath fritillary butterfly, *Mellicta athalia* ssp. *celadussa* (Rott.) (Lepidoptera: Nymphalidae) in Montane grasslands of different management. *Biological Conservation* **82**:157-165.
- Sei, M. 2004. Larval adaptation of the endangered maritime ringlet *Coenonympha tullia nipisiquit* McDonnough (Lepidoptera: Nymphalidae) to a saline wetland habitat. *Environmental Entomology* **33**:1535-1540.
- Sei, M., and A. H. Porter. 2003. Microhabitat-specific early-larval survival of the maritime ringlet (*Coenonympha tullia nipisiquit*). *Animal Conservation* **6**:55-61.
- Sei, M., and A. H. Porter. 2007. Delimiting species boundaries and the conservation genetics of the endangered maritime ringlet butterfly (*Coenonympha nipisiquit* McDunnough). *Molecular Ecology* **16**:3313-3325.
- Seidl, A. L. 1999. Population demographics and the conservation status of the Uncompahgre Fritillary *Boloria acrocne* (Nymphalidae). *Journal of the Lepidopterists' Society* **53**:32-36.

- Settele, J. 2002. Maculinea butterflies of the habitats directive and European Red List as indicators and tools for habitat conservation and management (MacMan). *Zoology (Jena)* **105**:21.
- Severns, P. M. 2008a. Exotic grass invasion impacts fitness of an endangered prairie butterfly, *Icaricia icarioides fenderi*. *Journal of Insect Conservation* **12**:651-661.
- Severns, P. M. 2008b. Road crossing behavior of an endangered grassland butterfly, *Icaricia icarioides fenderi macy* (lycaenidae), between a subdivided population. *Journal of the Lepidopterists' Society* **62**:53-56.
- Severns, P. M., L. Boldt, and S. Villegas. 2006. Conserving a wetland butterfly: quantifying early lifestage survival through seasonal flooding, adult nectar, and habitat preference. *Journal of Insect Conservation* **10**:361-370.
- Severns, P. M., and A. D. Warren. 2008. Selectively eliminating and conserving exotic plants to save an endangered butterfly from local extinction. *Animal Conservation* **11**:476-483.
- Shepherd, S., and D. M. Debinski. 2005. Evaluation of isolated and integrated prairie reconstructions as habitat for prairie butterflies. *Biological Conservation* **126**:51-61.
- Shors, J., and D. M. Gordon. 2007. Argentine ants: Effects on the restoration of plant-insect interactions in the temperate zone. *Ecological Society of America Annual Meeting Abstracts*.
- Shreeve, T. G., R. L. H. Dennis, and A. S. Pullin. 1996. Marginality: Scale determined processes and the conservation of the British butterfly fauna. *Biodiversity and Conservation* **5**:1131-1141.
- Shuey, J. A. 1985. HABITAT ASSOCIATIONS OF WETLAND BUTTERFLIES NEAR THE GLACIAL MAXIMA IN OHIO INDIANA AND MICHIGAN USA. *Journal of Research on the Lepidoptera* **24**:176-186.
- Shuey, J. A. 1997a. Conservation status and natural history of Mitchell's Satyr, *Neonympha mitchellii mitchellii* French (Insecta: Lepidoptera: Nymphalidae). *Natural Areas Journal* **17**:153-163.
- Shuey, J. A. 1997b. Dancing with fire: Ecosystem dynamics, management, and the Karner blue (*Lycaeides melissa samuelis* Nabokov) (Lycaenidae). *Journal of the Lepidopterists' Society* **51**:263-269.
- Shuey, J. A. 2005. Assessing the conservation value of a complementary system of habitat reserves relative to butterfly species at risk and divergent populations. *American Midland Naturalist* **153**:110-120.

- Shuey, J. A., J. V. Calhoun, and D. C. Iftner. 1987a. BUTTERFLIES THE ARE ENDANGERED THREATENED AND OF SPECIAL CONCERN IN OHIO USA. *Ohio Journal of Science* **87**:98-106.
- Shuey, J. A., E. H. Metzler, D. C. Iftner, J. V. Calhoun, J. W. Peacock, R. A. Watkins, J. D. Hooper, and W. F. Babcock. 1987b. STATUS AND HABITATS OF POTENTIALLY ENDANGERED LEPIDOPTERA IN OHIO USA. *Journal of the Lepidopterists' Society* **41**:1-12.
- Sielezniew, M., and A. M. Stankiewicz. 2004. Story of large blue *Maculinea anion* L.: how a butterfly entered the canons of ecology and nature conservation. *Wiadomosci Ekologiczne* **50**:149-169.
- Silberbauer, L. X., and D. R. Britton 1999. Holiday houses or habitat: Conservation of the Brenton Blue Butterfly *Orachrysops niobe* (Trimen) (Lepidoptera: Lycaenidae), in Knysna, South Africa.
- Skorka, P., J. Settele, and M. Woyciechowski. 2007. Effects of management cessation on grassland butterflies in southern Poland. *Agriculture Ecosystems & Environment* **121**:319-324.
- Smallidge, P. J., and D. J. Leopold. 1997. Vegetation management for the maintenance and conservation of butterfly habitats in temperate human-dominated landscapes. *Landscape and Urban Planning* **38**:259-280.
- Smallidge, P. J., D. J. Leopold, and C. M. Allen. 1996. Community characteristics and vegetation management of Karner blue butterfly (*Lycaeides melissa samuelis*) habitats on rights-of-way in east-central New York, USA. *Journal of Applied Ecology* **33**:1405-1419.
- Smith, M. A., M. G. Turner, and D. H. Rusch. 2002. The effect of military training activity on eastern lupine and the Karner blue butterfly at Fort McCoy, Wisconsin, USA. *Environmental Management* **29**:102-115.
- Soderstrom, B., and M. Hedblom. 2004. Butterfly behaviour in corridors, a new approach. *Fauna och Flora (Stockholm)* **99**:2-7.
- Soderstrom, B., and M. Hedblom. 2007. Comparing movement of four butterfly species in experimental grassland strips. *Journal of Insect Conservation* **11**:333-342.
- Sparks, T. H., J. N. Greatorex-Davies, J. O. Mountford, M. L. Hall, and R. H. Marrs. 1996a. The effects of shade on the plant communities of rides in plantation woodland and implications for butterfly conservation. *Forest Ecology and Management* **80**:197-207.
- Sparks, T. H., J. N. Greatorex-Davies, J. O. Mountford, M. L. Hall, and R. H. Marrs. 1996b. The effects of shade on the plant communities of rides in plantation woodland and implications for butterfly conservation. *Forest Ecology and Management* **80**:197-207.

- Sparks, T. H., and T. Parish. 1995. Factors affecting the abundance of butterflies in field boundaries in Swavesey fens, Cambridgeshire, UK. *Biological Conservation* **73**:221-227.
- Spitzer, K., J. Jaros, J. Havelka, and J. Leps. 1997. Effect of small-scale disturbance on butterfly communities on an Indochinese montane rainforest. *Biological Conservation* **80**:9-15.
- Sporrong, J. M., J. H. Anklam, and P. K. Kleintjes. 2001. Habitat enhancement for the endangered Karner blue butterfly in the Eau Claire River basin, Wisconsin. *Ecological Society of America Annual Meeting Abstracts* **86**:347.
- Statham, K. A., B. M. Cragg, and G. W. Armour. 2002. Humber Bay Butterfly Habitat: If you build it, they will come. *Ecological Society of America Annual Meeting Abstracts* **87**:274.
- Storch, D., M. Konvicka, J. Benes, J. Martinkova, and K. J. Gaston. 2003. Distribution patterns in butterflies and birds of the Czech Republic: Separating effects of habitat and geographical position. *Journal of Biogeography* **30**:1195-1205.
- Summerville, K. S. 2008. Species diversity and persistence in restored and remnant tallgrass prairies of North America: a function of species' life history, habitat type, or sampling bias? *Journal of Animal Ecology* **77**:487-494.
- Summerville, K. S., and C. A. Clampitt. 1999. Habitat characterization of five rare insects in Michigan (Lepidoptera: Hesperidae, Riodinidae, Satyridae; Homoptera: Cercopidae). *Great Lakes Entomologist* **32**:225-238.
- Sutcliffe, O. L., V. Bakkestuen, G. Fry, and O. E. Stabbetorp. 2003. Modelling the benefits of farmland restoration: Methodology and application to butterfly movement. *Landscape and Urban Planning* **63**:15-31.
- Sutcliffe, O. L., and C. D. Thomas. 1996. Open corridors appear to facilitate dispersal by ringlet butterflies (*Aphantopus hyperantus*) between woodland clearings. *Conservation Biology* **10**:1359-1365.
- Swengel, A. B. 1995. Observations of spring larvae of *Lycaeides melissa* Samuelis (Lepidoptera: Lycaenidae) in central Wisconsin. *Great Lakes Entomologist* **28**:155-170.
- Swengel, A. B. 1996a. Effects of fire and hay management on abundance of prairie butterflies. *Biological Conservation* **76**:73-85.
- Swengel, A. B. 1996b. Observations of *Incisalia irus* (Lepidoptera: Lycaenidae) in central Wisconsin 1988-95. *Great Lakes Entomologist* **29**:47-62.
- Swengel, A. B. 1998. Comparisons of butterfly richness and abundance measures in prairie and barrens. *Biodiversity and Conservation* **7**:1639-1659.

- Swengel, A. B., and S. R. Swengel. 1998. Density-dependent and -independent behaviors of the adult Karner blue (*Lycaeides melissa samuelis*) (Lepidoptera: Lycaenidae). *Great Lakes Entomologist* **31**:59-72.
- Swengel, A. B., and S. R. Swengel. 2000. Variation in timing and abundance of elfins (*Callophrys*) (Lepidoptera: Lycaenidae) in Wisconsin during 1987-1999. *Great Lakes Entomologist* **33**:45-68.
- Swengel, A. B., and S. R. Swengel. 2001. Effects of prairie and barrens management on butterfly faunal composition. *Biodiversity and Conservation* **10**:1757-1785.
- Szymanski, J., J. A. Shuey, and K. Oberhauser. 2004. Population structure of the endangered Mitchell's Satyr, *Neonympha mitchellii mitchellii* (French): Implications for conservation. *American Midland Naturalist* **152**:304-322.
- Terblanche, R. F., T. L. Morgenthal, and S. S. Cilliers. 2003. The vegetation of three localities of the threatened butterfly species *Chrysoritis aureus* (Lepidoptera: Lycaenidae). *Koedoe* **46**:73-90.
- Terblanche, R. F., and H. van Hamburg. 2004. The application of life history information to the conservation management of *Chrysoritis* butterflies (Lepidoptera: Lycaenidae) in South Africa. *Koedoe* **47**:55-65.
- Thoams, J. A. 1995a. The conservation of declining butterfly populations in Britain and Europe: Priorities, problems and successes. *Biological Journal of the Linnean Society* **56**:55-72.
- Thoams, J. A. 1995b. The conservation of declining butterfly populations in Britain and Europe: Priorities, problems and successes. *Biological Journal of the Linnean Society* **56**:55-72.
- Thomas, C. D., and J. C. G. Abery. 1995. Estimating rates of butterfly decline from distribution maps: The effect of scale. *Biological Conservation* **73**:59-65.
- Thomas, C. D., M. Baguette, and O. T. Lewis 2000. Butterfly movement and conservation in patchy landscapes.
- Thomas, C. D., and T. M. Jones. 1993. Partial recovery of a skipper butterfly (*Hesperia comma*) from population refuges: Lessons for conservation in a fragmented landscape. *Journal of Animal Ecology* **62**:472-481.
- Thomas, C. D., J. A. Thomas, and M. S. Warren. 1992. Distribution of occupied and vacant butterfly habitats in fragmented landscapes. *Oecologia (Heidelberg)* **92**:563-567.
- Thomas, C. D., R. J. Wilson, and O. T. Lewis. 2002. Short-term studies underestimate 30-generation changes in a butterfly metapopulation. *Proceedings of the Royal Society Biological Sciences Series B* **269**:563-569.

- Thomas, J. A., and G. W. Elmes. 2001. Food-plant niche selection rather than the presence of ant nests explains oviposition patterns in the myrmecophilous butterfly genus *Maculinea*. *Proceedings of the Royal Society Biological Sciences Series B* **268**:471-477.
- Thomas, J. A., D. J. Simcox, J. C. Wardlaw, G. W. Elmes, M. E. Hochberg, and R. T. Clarke. 1998. Effects of latitude, altitude and climate on the habitat and conservation of the endangered butterfly *Maculinea arion* and its *Myrmica* ant hosts. *Journal of Insect Conservation* **2**:39-46.
- Thomas, J. A., C. D. Thomas, D. J. Simcox, and R. T. Clarke. 1986. ECOLOGY AND DECLINING STATUS OF THE SILVER-SPOTTED SKIPPER BUTTERFLY *HESPERIA-COMMA* IN BRITAIN. *Journal of Applied Ecology* **23**:365-380.
- Tscharntke, T., I. Steffan-Dewenter, A. Kruess, and C. Thies. 2002. Contribution of small habitat fragments to conservation of insect communities of grassland-cropland landscapes. *Ecological Applications* **12**:354-363.
- Vaisanen, R., M. Kuussaari, M. Nieminen, and P. Somerma. 1994. Biology and conservation of *Pseudophilotes baton* in Finland (Lepidoptera, Lycaenidae). *Annales Zoologici Fennici* **31**:145-156.
- Vaisanen, R., E. Suomalainen, and H. Luoma. 1983. THE OCCURRENCE AND PROTECTION OF *LYCAENA-DISPAR* LEPIDOPTERA LYCAENIDAE IN FINLAND. *Notulae Entomologicae* **63**:124-126.
- Valimäki, P., and J. Itämes. 2003. Migration of the clouded Apollo butterfly *Parnassius mnemosyne* in a network of suitable habitats: Effects of patch characteristics. *Ecography* **26**:679-691.
- Valtonen, A., and K. Saarinen. 2005. A highway intersection as an alternative habitat for a meadow butterfly: effect of mowing, habitat geometry and roads on the ringlet (*Aphantopus hyperantus*). *Annales Zoologici Fennici* **42**:545-556.
- Valtonen, A., K. Saarinen, and J. Jantunen. 2007. Intersection reservations as habitats for meadow butterflies and diurnal moths: Guidelines for planning and management. *Landscape and Urban Planning* **79**:201-209.
- Van Es, J., J. M. Paillisson, and F. Burel. 1999. Eutrophication impacts of wetland vegetation in floodplain on butterfly (Lepidoptera) biodiversity. *Vie et Milieu* **49**:107-116.
- van Halder, I., L. Barbaro, E. Corcket, and H. Jactel. 2008a. Importance of semi-natural habitats for the conservation of butterfly communities in landscapes dominated by pine plantations. *Biodiversity and Conservation* **17**:1149-1169.

- van Halder, I., L. Barbaro, E. Corcket, and H. Jactel. 2008b. Importance of semi-natural habitats for the conservation of butterfly communities in landscapes dominated by pine plantations. *Biodiversity and Conservation* **17**:1149-1169.
- van Swaay, C., and M. Warren. 2001. Implementing the Red Data Book of European Butterflies: The identification of Prime Butterfly Areas. Pages 129-134 in J. Bruin, editor. Proceedings of the Section Experimental and Applied Entomology of the Netherlands Entomological Society.
- Van Swaay, C. A. M. 1990. AN ASSESSMENT OF THE CHANGES IN BUTTERFLY ABUNDANCE IN THE NETHERLANDS DURING THE 20TH CENTURY. *Biological Conservation* **52**:287-302.
- van Swaay, C. A. M., and M. S. Warren. 2006. Prime Butterfly Areas of Europe: an initial selection of priority sites for conservation. *Journal of Insect Conservation* **10**:5-11.
- Vandewoestijne, S., and M. Baguette. 2002. The genetic structure of endangered populations in the Cranberry Fritillary, *Boloria aquilonaris* (Lepidoptera, Nymphalidae): RAPDs vs allozymes. *Heredity* **89**:439-445.
- Vickery, M. 2007. Gardens as an aid to the conservation of some butterfly species. *Science Progress* **90**:223-244.
- Voelki, V. R., T. Schiefer, M. Braeu, C. Stettmer, B. Binzenhoefer, and J. Settele. 2008. Effects of mowing date and cycle on large blue butterflies - Results of habitat analyses for *Maculinea nausithous* and *M. teleius* in Bavaria. *Naturschutz und Landschaftsplanung* **40**:147-155.
- Wahlberg, N. 2001. On the status of the scarce fritillary *Euphydryas maturna* (Lepidoptera: Nymphalidae) in Finland. *Entomologica Fennica* **12**:244-250.
- Wahlberg, N., T. Klemetti, and I. Hanski. 2002. Dynamic populations in a dynamic landscape: The metapopulation structure of the marsh fritillary butterfly. *Ecography* **25**:224-232.
- Wahlberg, N., A. Moilanen, and I. Hanski. 1996. Predicting the occurrence of endangered species in fragmented landscapes. *Science (Washington D C)* **273**:1536-1538.
- Wakeham-Dawson, A., A. M. F. Aguiar, and G. Martin. 2002. The distribution of endemic butterflies (Lepidoptera) on the island of Madeira, Portugal, since 1850, with comments on their current conservation status. *Entomologist's Gazette* **53**:153-180.
- Wallis De Vries, M. F. 2001. Habitat quality assessment and its role in the conservation of the butterfly *Melitaea cinxia*. Pages 141-146 in J. Bruin, editor. Proceedings of the Section Experimental and Applied Entomology of the Netherlands Entomological Society.

- WallisDeVries, M. F. 2004. A quantitative conservation approach for the endangered butterfly *Maculinea alcon*. *Conservation Biology* **18**:489-499.
- WallisDeVries, M. F., and I. Raemakers. 2001. Does extensive grazing benefit butterflies in coastal dunes? *Restoration Ecology* **9**:179-188.
- Waltz, A. E. M., and W. W. Covington. 2001. Go towards the light: Butterfly species richness increases following ponderosa pine restoration. *Ecological Society of America Annual Meeting Abstracts* **86**:229.
- Waltz, A. E. M., and W. W. Covington. 2004. Ecological restoration treatments increase butterfly richness and abundance: Mechanisms of response. *Restoration Ecology* **12**:85-96.
- Waring, P. 2003. News on the conservation of some UK biodiversity action plan moths in 2002. *Entomologist's Record and Journal of Variation* **115**:213-219.
- Warren, M. S. 1991. THE SUCCESSFUL CONSERVATION OF AN ENDANGERED SPECIES THE HEATH FRITILLARY BUTTERFLY *MELLECTA-ATHALIA* IN BRITAIN UK. *Biological Conservation* **55**:37-56.
- Warren, M. S. 1993a. A review of butterfly conservation in central southern Britain: I. Protection, evaluation and extinction on prime sites. *Biological Conservation* **64**:25-35.
- Warren, M. S. 1993b. A review of butterfly conservation in central southern Britain: II. Site management and habitat selection of key species. *Biological Conservation* **64**:37-49.
- Warren, M. S., C. D. Thomas, and J. A. Thomas. 1984. THE STATUS OF THE HEATH FRITILLARY BUTTERFLY *MELLECTA-ATHALIA* IN BRITAIN UK. *Biological Conservation* **29**:287-306.
- Warren, S. D., S. W. Holbrook, D. A. Dale, N. L. Whelan, M. Elyn, W. Grimm, and A. Jentsch. 2007. Biodiversity and the heterogeneous disturbance regime on military training lands. *Restoration Ecology* **15**:606-612.
- Webb, M. R., and A. S. Pullin. 1998. Effects of submergence by winter floods on diapausing caterpillars of a wetland butterfly, *Lycaena dispar batavus*. *Ecological Entomology* **23**:96-99.
- Weber, P. G., S. Preston, M. J. Dlugos, and A. P. Nelson. 2008a. The effects of field mowing on adult butterfly assemblages in Central New York State. *Natural Areas Journal* **28**:130-143.
- Weber, P. G., S. Preston, M. J. Dlugos, and A. P. Nelson. 2008b. The effects of field mowing on adult butterfly assemblages in Central New York State. *Natural Areas Journal* **28**:130-143.

- Weibull, A.-C., and O. Ostman. 2003. Species composition in agroecosystems: The effect of landscape, habitat, and farm management. *Basic and Applied Ecology* **4**:349-361.
- Weiss, S. 2004. Population extinction of a threatened checkerspot butterfly driven by vehicular ammonia emissions. *Ecological Society of America Annual Meeting Abstracts* **89**:537.
- Weiss, S. B. 1997. Weather, phenology, and the population ecology of a threatened checkerspot butterfly in complex terrain. *Bulletin of the Ecological Society of America* **78**:205.
- Weiss, S. B. 1999. Cars, cows, and checkerspot butterflies: Nitrogen deposition and management of nutrient-poor grasslands for a threatened species. *Conservation Biology* **13**:1476-1486.
- Weiss, S. B., and A. D. Weiss. 1998. Landscape-level phenology of a threatened butterfly: A GIS-based modeling approach. *Ecosystems* **1**:299-309.
- Wettstein, W., and B. Schmid. 1999. Conservation of arthropod diversity in montane wetlands: Effect of altitude, habitat quality and habitat fragmentation on butterflies and grasshoppers. *Journal of Applied Ecology* **36**:363-373.
- White, P. J. T., and J. T. Kerr. 2007. Human impacts on environment-diversity relationships: evidence for biotic homogenization from butterfly species richness patterns. *Global Ecology and Biogeography* **16**:290-299.
- Williams, E. H. 1995. Fire-burned habitat and reintroductions of the butterfly *Euphydryas gillettii* (Nymphalidae). *Journal of the Lepidopterists' Society* **49**:183-191.
- Williams, M. R. 2009. Butterflies and day-flying moths in a fragmented urban landscape, southwest Western Australia: patterns of species richness. *Pacific Conservation Biology* **15**:32-46.
- Wilson, R. J., Z. G. Davies, and C. D. Thomas. 2009. Modelling the effect of habitat fragmentation on range expansion in a butterfly. *Proceedings of the Royal Society Biological Sciences Series B* **276**:1421-1427.
- Wilson, R. J., C. D. Thomas, R. Fox, D. B. Roy, and W. E. Kunin. 2004. Spatial patterns in species distributions reveal biodiversity change. *Nature (London)* **432**:393-396.
- Windig, J. J., P. T. Rintamaki, A. Cassel, and S. Nylin. 2000. How useful is fluctuating asymmetry in conservation biology: Asymmetry in rare and abundant *Coenonympha* butterflies. *Journal of Insect Conservation* **4**:253-261.
- Witkowski, Z., P. Adamski, A. Kosior, and P. Plonka. 1997. Extinction and reintroduction of *Parnassius apollo* in the Pieniny National Park (Polish Carpathians). *Biologia (Bratislava)* **52**:199-208.

- Wolf, A. T., R. W. Howe, and R. P. Dana. 2005. Conservation of the northern blue butterfly *Plebejus (Lycaeides) idas nabokovi* in the western Great Lakes region. *Natural Areas Journal* **25**:77-85.
- Wood, B. C., and A. S. Pullin. 2002. Persistence of species in a fragmented urban landscape: The importance of dispersal ability and habitat availability for grassland butterflies. *Biodiversity and Conservation* **11**:1451-1468.
- Wynhoff, I. 1998. Lessons from the reintroduction of *Maculinea teleius* and *M. nausithous* in the Netherlands. *Journal of Insect Conservation* **2**:47-57.
- Wynhoff, I., M. Grutters, and F. van Langevelde. 2008. Looking for the ants: selection of oviposition sites by two myrmecophilous butterfly species. *Animal Biology (Leiden)* **58**:371-388.
- Wynhoff, I., J. G. B. Oostermeijer, C. A. M. van Swaay, J. G. van der Made, and H. H. T. Prins. 2000. Re-introduction in practice: *Maculinea teleius* and *M. nausithous* (Lepidoptera: Lycaenidae). *Entomologische Berichten (Amsterdam)* **60**:107-117.
- Yip, J. Y., R. T. Corlett, and D. Dudgeon. 2004. A fine-scale gap analysis of the existing protected area system in Hong Kong, China. *Biodiversity and Conservation* **13**:943-957.
- Zaremba, R. E. 1991. MANAGEMENT OF KARNER BLUE BUTTERFLY HABITAT IN A SUBURBAN LANDSCAPE.
- Zimmerman, C. L., J. T. Bried, T. H. Tear, N. A. Gifford, R. R. Shirer, and K. O'Brien. 2007. How do we know if habitat restoration is working? The case of Karner blue butterfly recovery in New York. *Ecological Society of America Annual Meeting Abstracts*.
- Zuo, Z.-t., X.-z. Yuan, H. Liu, and X. Li. 2008. Butterfly diversity in different types of habitat in Chongqing urban area. *Shengtaixue Zazhi* **27**:946-950.